

Work Order ID 56488

February 24, 2010 1:49:25 PM

PRELIMINARY ISSUE

Page 1

Item ID: D3281-4C1/208

Accept

Revision ID:

Item Name: Floor Protector, Aft RH

Start Date: 2/24/10 Start Qty: 2.00

Required Date: 2/25/10 Req'd Qty: 2.00

Reference:

Approvals: Process Plan: W

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3281

DEO E-1

100

0.00



Thermoform

HAND FINISHING THERMOFORMING

Memo

0.00

Thermoforming Machine

Cut Blanks

110

0.00



Thermoform

THERMOFORMING MACHINE

Memo

0.00

Thermoforming Machine

Thermoform as per Dwg. D3281 and Folio FTA 010 Dwg. Rev.

PRELIM Folio Rev. B

120

0.00



QC

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

Quality Control

DL 10/02/24 (K2)
Dry @ 255 F.
TIME IN 4:18 pm DL
TIME OUT 6:30 am DL
10/02/25 (K2)

Temp @ 335 F
Mould @ 238 F
Release @ 270 F

DL 10/02/25 (K2)

DL 10/02/25 (K2)

Work Order ID 56488

February 24, 2010 1:49:25 PM



Page 2

Item ID: D3281-4CL

Accept



Setup Start



Revision ID:

Stop



Item Name: Floor Protector. Aft RH

Start Date: 2/24/10 Start Qty: 2.00



Cust Item ID:

Required Date: 2/25/10 Req'd Qty: 2.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130



Thermoform

Thermoforming Machine

HAND FINISHING THERMOFORMING

Memo

Trim to Finished Dimensions

0.00

0.00

140



QC

Quality Control

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

0.00

150



QC

Quality Control

QC5- Inspect part completeness to step on W/O

Memo

0.00

0.00

QC APPROVAL

2

BB
10/02/25
X2

BB
10/02/25
X2

100225

Work Order ID 56488

February 24, 2010 1:49:26 PM



Page 3

Item ID: D3281-4CL

Revision ID:

Item Name: Floor Protector. Aft RH

Start Date: 2/24/10 Start Qty: 2.00

Required Date: 2/25/10 Req'd Qty: 2.00

Reference:

Accept



Setup Start



Stop



Cust Item ID:

Customer:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160



Packaging

Packaging

Packaging

Memo

0.00

0.00

Mo 56514

10.2-26

(2x) SP

170



QC

Quality Control

QC21- Final Inspection - Work Order Release

Memo

0.00

0.00

U L 6'0 2.24

10/02/26

POSITIVE RECALL

EFFECTIVE

AUTH

RELEASED

DATE

10.02.26

Picklist Print

February 24, 2010 1:49:24 PM

Page 1

Work Order ID: 56488



Parent Item: D3281-4CL



Parent Item Name: Floor Protector, Aft RH

Start Date: 2/24/10

Required Date: 2/25/10

Comments: IPP Rev. A 10.02.24 New Issue LL

Start Qty: 2.00

Required Qty: 2.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
MLEXS.118-90318-08		Purchased	No				sf	2,818.330	8.6666			



Lexan Sheet

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

MAT

2818.33

111588

98.33

113127

2720

9.8 sf ft. DL 10/02/24

DART AEROSPACE LTD		Work Order: 56488
Description: Floor Protector, Aft RH		Part Number: D3281-4CL
Inspection Dwg: D3281	Rev: D	Page 1 of 1

FIRST ARTICLE INSPECTION CHECKLIST

☒ First Article ☐ Prototype

THERMOFORMING SECTION

Description	Accept	Reject	Method of Inspection	Comments
Inside Radii less than 0.1875"	✓			
Shape Definition	✓			
Texture Retention	✓			
Material imperfections such as bumps, cracks, voids, scratching	✓			

Measured by: [Signature]	Date: 10/02/25
---------------------------------	-----------------------

TRIMMING SECTION

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
17.8	+/-0.100	17.85	✓			
17.1	+/-0.100	17.10	✓			
14.3	+/-0.100	14.3	✓			
0.95	+/-0.030	0.967	✓			
0.25	+/-0.030	N/A				
3.1	+/-0.100	N/A				
0.050	Min	0.069	✓			
0.070	Min	0.080"	✓			

Measured by: [Signature]	Date: 10/02/25
Audited by: [Signature]	Date: 10/02/25
Prototype Approval: N/A	Date: N/A

Rev	Date	Change	Revised by	Approved
A	08.02.28	New Issue	KJ/DL	
B	08.04.16	Dimensions updated per Dwg Rev D	KJ/DL [Signature]	[Signature]

DRAWING NO. D3281	TITLE FLOOR PROTECTOR	REV. E	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D3281-E-1	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN <i>q</i>	CHECKED <i>fl.</i>	MFG. APPR.	APPROVED		DE APPR.		
DATE 10.02.24	DATE 10.02.24	DATE	DATE		DATE		

PURPOSE

ADD "D3281-xKCL" MATERIAL OPTION.

CHANGE


D3281-xKCL PARTS ARE EQUIVALENT TO THE RESPECTIVE "-x" PARTS, HOWEVER THE MATERIAL AND IDENTIFICATION NOTES ARE AMENDED AS FOLLOWS:

2) MATERIAL: LEXAN 90318 (PROTECT-A-GLAZE), 0.118 THICK, 112-CLEAR
(MLEXS.118-90318-08)

7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-xKCL" AND B/N "Bxxxxx" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS.
LOCATE ENGRAVING ALONG PERIMETER OF PART.

PRELIMINARY ISSUE


q 10.02.24



D3281-1KCL FLOOR PROTECTOR (SHOWN)

✓ D3281-2KCL FLOOR PROTECTOR (OPPOSITE)

LOCATION OF ENGRAVING





D3281-3KCL FLOOR PROTECTOR (SHOWN)

✓ D3281-4KCL FLOOR PROTECTOR (OPPOSITE)

LOCATION OF ENGRAVING


8 7 6 5 4 3 2 1

D



C

TEXTURED SURFACE
ON THIS SIDE



B

D3281-4 FLOOR PROTECTOR

W056487

RELEASED
2010-02-03

D3281-4 NOTES:

- 1) THERMOFORM WITH MOLD D3281-4T1 PER DART QSI 022; TRIM AS SHOWN
MINIMUM THICKNESS AFTER FORMING: 0.070" EXCEPT WHERE INDICATED
- 2) MATERIAL: LEXAN F6006, BLACK No. 701, 0.093" THICK
(REF DART SPEC MLEXS.093-F6006-02)
- 3) FINISH: NONE
- 4) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 5) UNITS: INCHES UNLESS OTHERWISE NOTED
- 6) BREAK SHARP EDGES: 0.010 MAX
- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-4" AND BATCH NUMBER "BXXXXX" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS
- 8) WEIGHT: 0.87 lb

eng. with PP# D3281-4208 GP 10.07.25

DESIGN	4	DART AEROSPACE LTD	
DRAWN	4	HAWKESBURY, ONTARIO, CANADA	
CHECKED	4	DRAWING NO.	REV. E
MFG. APPR.	4	D3281	SHEET 4 OF 4
APPROVED	4	TITLE	SCALE
DE APPR.	4	FLOOR PROTECTOR	NTS
DATE	10.01.05	<small>COPYRIGHT © 2004 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1

A

DRAWING NO. D3281	TITLE FLOOR PROTECTOR	REV. E	DART AEROSPACE LTD ENGINEERING ORDER		D.E.O. NO. D3281-E-1	SHEET NO. SHEET 1 OF 1	SCALE NTS
DRAWN <i>qp</i>	CHECKED <i>K</i>	MFG. APPR. <i>DL</i>	APPROVED <i>H</i>		DE APPR. <i>H</i>		
DATE 10.02.24	DATE 10.02.25	DATE 10/02/25	DATE 10.02.25		DATE 10.02.25		

PURPOSE

ADD "D3281-xL08" MATERIAL OPTION. EXISTING PARTS TO BE IDENTIFIED AS "D3281-xL02"


CHANGE

D3281-xL08 PARTS ARE EQUIVALENT TO THE RESPECTIVE "-x" PARTS EXCEPT AS DETAIL BELOW. THE MATERIAL, IDENTIFICATION, AND WEIGHT NOTES ARE AMENDED AS FOLLOWS:


- 2) MATERIAL: -xL02 = LEXAN F6006, BLACK No. 701, 0.093" THICK (MLEXS.093-F6006-02)
 -xL08 = LEXAN 90318 (PROTECT-A-GLAZE), 0.118 THICK, 112-CLEAR (MLEXS.118-90318-08)

- 7) IDENTIFICATION: IDENTIFY WITH DART P/N "D3281-xLxx" AND B/N "Bxxxxx" ON SMOOTH SIDE OF PART USING VIBRATING STYLUS.
 FOR -xL08 PARTS, LOCATE ENGRAVING ALONG PERIMETER OF PART AS SHOWN.

- 8) WEIGHT: D3281-1L02/-2L02 = 0.95 lb D3281-1L08/-2L08 = 1.13 lb
 D3281-1L02/-2L02 = 0.87 lb D3281-3L08/-4L08 = 1.05 lb



D3281-1L08 FLOOR PROTECTOR (SHOWN)
D3281-2L08 FLOOR PRETECTOR (OPPOSITE)
 LOCATION OF ENGRAVING



D3281-3L08 FLOOR PROTECTOR (SHOWN)
D3281-4L08 FLOOR PRETECTOR (OPPOSITE)
 LOCATION OF ENGRAVING

RELEASED
 2010-02-26

md